

92746386

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL CHEMICAL CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-832-7575

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL CHEMICAL CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-832-7575

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.		2. Page 1	Information in the shaded areas is not required by Federal law.	
		CAD0865100054	61386		1 of 2		
3. Generator's Name and Mailing Address Douglas Aircraft Company Attn: R. Tuell M/S C6-59 19503 S. Normandie Avenue, Torrance, CA 90502				A. State Manifest Document Number 92746386			
4. Generator's Phone (310 533-7926 or (310) 533-7231				B. State Generator's ID H A H 036005698			
5. Transporter 1 Company Name Laidlaw Environmental Services				C. State Transporter's ID 407554			
6. US EPA ID Number of CA, INC. CAD0000083121				D. Transporter's Phone (310) 518-4700			
7. Transporter 2 Company Name				E. State Transporter's ID			
8. US EPA ID Number				F. Transporter's Phone			
9. Designated Facility Name and Site Address USPCI, Inc., Grassy Mountain Facility 3 mi east, 7 mi north of Knolls Exit # 41 Off of I-80, Clive, UT				G. State Facility's ID			
10. US EPA ID Number UTD991301748				H. Facility's Phone (801) 595-3900			
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers	13. Total	14. Unit	15. Waste Number		
Waste, Corrosive Solid, N.O.S. (Sulfuric, Nitric acid)		No. Type	Quantity	Wt/Vol	State		
Corrosive Material, UN1759		002 D F	00205	P	181 N/R		
RM, Hazardous Waste Solid, N.O.S. (Lead)		001 D M	00635	P	181 0008		
ORM-E, NA9189 (D008)		005 D M	02860	P	181 0007		
RM, Hazardous Waste Solid, N.O.S. (Chromium)		001 D M	00050	P	181 N/R		
ORM-E, NA9188 (Asbestos)		001 D M	00050	P	181 N/R		
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws.		K. Handling Codes for Wastes Listed Above					
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.		a) 03 b) 03 c) 03 d) 03					
15. Special Handling Instructions and Additional Information Emergency Response Phone Number (800) 424-9300 (Chemtrec). DOT ERG #'s a)60 b)31 c)31 d)31.							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws.							
Printed/Typed Name Robert G. Tuell, Jr.		Signature Robert G. Tuell, Jr.		Month Day Year 09 22 93			
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature Miguel Dela Torre		Month Day Year 09 22 93			
Printed/Typed Name Miguel Dela Torre		Signature		Month Day Year			
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Month Day Year			
Printed/Typed Name		Signature		Month Day Year			
19. Discrepancy Indication Space							
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.		936-6978					
Printed/Typed Name Angie Leavelle		Signature Angie Leavelle		Month Day Year 09 24 93			

DO NOT WRITE BELOW THIS LINE.

UNIFORM HAZARDOUS WASTE MANIFEST (Continuation Sheet)		21. Generator's US EPA ID No. CAD086510005	Manifest Document No. 427 ⁴²⁷ 09-22-93 46386	22. Page 2 of 2	Information in the shaded areas is not required by Federal law.	
23. Generator's Name Douglas Aircraft Company				L. State Manifest Document Number 92746386		
24. Transporter <u>1</u> Company Name Laidlaw Environmental Services <i>OFA, Inc.</i>				M. State Generator's ID HAHQ36005698		
25. US EPA ID Number CAD000083121				N. State Transporter's ID <i>407554</i>		
26. Transporter _____ Company Name				O. Transporter's Phone <i>(310) 518-4700</i>		
27. US EPA ID Number				P. State Transporter's ID		
				Q. Transporter's Phone		
28. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)			29. Containers	30. Total Quantity	31. Unit Wt/Vol	R. Waste No.
			No.	Type		
a.	RQ, Environmentally Hazardous Substances, Solid, (Asbestos), 9, UN3077, PG III, (Asbestos)		N.O.S.			151
<i>K</i>			<i>001</i>	DM	<i>55</i>	P N/R
b.	Non-RCRA Hazardous Waste Solid (Sodium hydroxide solids)					181
<i>L</i>			<i>002</i>	DF	<i>375</i>	P N/R
c.	Non-RCRA Hazardous Waste Solid (Oil contaminated solids)					352
<i>M</i>			<i>005</i>	DM	<i>1,135</i>	P N/R
d.						
e.						
f.						
g.						
h.						
i.						
S. Additional Descriptions for Materials Listed Above			T. Handling Codes for Wastes Listed Above			
a) GM90-0663. Sealant tubes containing asbestos.			<i>03</i>			
b) GM92-0161. Sodium hydroxide solids.			<i>03</i>			
c) GM91-248. Oil contaminated floor dry, filters.			<i>03</i>			
32. Special Handling Instructions and Additional Information DOT ERG #'s a) 31 b) N/A c) N/A						
33. Transporter <u>1</u> Acknowledgement of Receipt of Materials						Date
Printed/Typed Name <i>MIGUEL DELA TORRE</i>			Signature <i>Miguel Dela Torre</i>			Month Day Year <i>09 22 93</i>
34. Transporter _____ Acknowledgement of Receipt of Materials						Date
Printed/Typed Name			Signature			Month Day Year
35. Discrepancy Indication Space						<i>934-6978</i>

UNIFORM HAZARDOUS
WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest Document No.

2. Page 1

Information in the shaded areas
is not required by Federal law.

C A D 0 8 6 5 1 0 0 0 5 4 6 3 8 6

1 of 2

3. Generator's Name and Mailing Address

Douglas Aircraft Company Attn: R. Tuell M/S C6-59
19503 S. Normandie Avenue, Torrance, CA 90502

4. Generator's Phone (310) 533-7926 or (310) 533-7231

5. Transporter 1 Company Name

Laidlaw Environmental Services

6. US EPA ID Number

C A D 0 0 0 0 8 3 1 2 1

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

USPCI, Inc., Grassy Mountain Facility
3 mi east, 7 mi north of Knolls Exit # 41
Off of I-80, Clive, UT

10. US EPA ID Number

U T D 9 9 1 3 0 1 7 4 8

A. State Manifest Document Number

92746386

B. State Generator's ID

HAH036005698

C. State Transporter's ID

407554

D. Transporter's Phone

(310) 518-4700

E. State Transporter's ID

F. Transporter's Phone

G. State Facility's ID

H. Facility's Phone

(801) 595-3900

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)

Waste, Corrosive Solid, N.O.S. (Sulfuric, Nitric acid)
Corrosive Material, UN1759

002

DF

00205

P

RQ, Hazardous Waste Solid, N.O.S. (Lead)
ORM-E, NA9189 (D008)

001

DM

00635

P

RQ, Hazardous Waste Solid, N.O.S. (Chromium)
ORM-E, NA9189 (D007)

005

DM

02860

P

RQ, Hazardous Substance, Solid, N.O.S. (Asbestos)
ORM-E, NA9188 (Asbestos)

001

DM

00050

P

a) GHS02-1212, Acid spill cleanup.

b) GHS02-3012, Foundry dust, kirkette, floor sweepings.

c) GHS02-3018, Precision grinding sludge.

d) GHS02-1533, Asbestos containing material.

K. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

Emergency Response Phone Number (800) 424-9300 (Chemtrec).
DOT ERG #'s a)60 b)31 c)31 d)31.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Robert G. Tuell, Jr.

Signature

Robert G. Tuell, Jr.

Month

09

Day

22

Year

93

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

MIGUEL DELA TORRE

Signature

Miguel Dela Torre

Month

09

Day

22

Year

93

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month

Day

Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month

Day

Year

DO NOT WRITE BELOW THIS LINE.

UNIFORM HAZARDOUS WASTE MANIFEST (Continuation Sheet)		21. Generator's US EPA ID No. CAD086510005	Manifest Document No. 427 #48 07-22-93 46386	22. Page 2 of 2	Information in the shaded areas is not required by Federal law.	
23. Generator's Name Douglas Aircraft Company				L. State Manifest Document Number 92746386		
24. Transporter 1 Company Name Laidlaw Environmental Services OF CA				M. State Generator's ID HAHQ36005698		
25. US EPA ID Number CAD000083121				N. State Transporter's ID 407-4		
26. Transporter Company Name				O. Transporter's Phone (310) 518-4700		
27. US EPA ID Number				P. State Transporter's ID		
				Q. Transporter's Phone		
28. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)				29. Containers	30. Total Quantity	31. Unit Wt/Vol
				No.	Type	R. Waste No.
a.	RM RQ, Environmentally Hazardous Substances, Solid, (Asbestos), 9, UN3077, PG III, (Asbestos)			N.O.S. 001	DM	55
b.	Non-RCRA Hazardous Waste Solid (Sodium hydroxide solids)			002	DF	375
c.	Non-RCRA Hazardous Waste Solid (Oil contaminated solids)			005	DM	1,135
d.						
e.						
f.						
g.						
h.						
i.						
S. Additional Descriptions for Materials Listed Above a)GM90-0663. Sealant tubes containing asbestos. b)GM92-0161. Sodium hydroxide solids. c)GM91-248. Oil contaminated floor dry, filters.				T. Handling Codes for Wastes Listed Above		
32. Special Handling Instructions and Additional Information DOT ERG #'s a)31 b)N/A c)N/A						
33. Transporter 1 Acknowledgement of Receipt of Materials				Date		
Printed/Typed Name MAURICE LAFORE				Signature <i>[Signature]</i>		Month Day Year 09/22/93
34. Transporter Acknowledgement of Receipt of Materials				Date		
Printed/Typed Name				Signature		Month Day Year
35. Discrepancy Indication Space						

Notification of Waste Subject to Land Disposal Restrictions

Manifest number associated with waste shipment

92746886 / 46886

Generator Name

Douglas Aircraft Co

Pursuant to 40 CFR 268.7 (a), I hereby notify that this waste shipment contains a waste(s) that is (are) restricted under the land disposal restrictions contained in either 40 CFR 268 or RCRA Section 3004 (d). This shipment contains one or more of the following wastes which are subject to the specified treatment requirements.

Waste (check appropriate boxes)

Treatment Standard

1. ☐ F-Solvents ☐ F001 ☐ F002 ☐ F003 ☐ F004 ☐ F005

Complete Reverse Side

2.	List all D,F,K,U, or P Waste Codes (eg. F006, D003)	Subcategory (if any)	Treatability Group (eg. wastewater or nonwastewater)	Treatment Standard in 40CFR		If Required Method insert proper 5-letter code	USPCI acceptance #	California List ✓ if applicable complete reverse side	Reason California List applies (list constituent or property from back)
				268.41(a) CCWE	268.43(a) CCW				
A.	D008		NW	X			GM90-2012	<input type="checkbox"/>	
B.	D007		NW	X			GM90-2010	<input type="checkbox"/>	
C.								<input type="checkbox"/>	
D.								<input type="checkbox"/>	
E.								<input type="checkbox"/>	
F.								<input type="checkbox"/>	
G.								<input type="checkbox"/>	
H.								<input type="checkbox"/>	
I.								<input type="checkbox"/>	
J.								<input type="checkbox"/>	

3. Special Requirements For F039, D001 and D002

- ☐ Multi-source leachate F039
☐ D001 (other than residues from INCIN, RORGS or FSUBS)
☐ D002
☐ D001-D002: No F039 constituents above treatment standards

F039: Attach treatment standards; mark constituents that apply.
D001-D002: Attach sheet(s) identifying constituents from F039 list reasonably expected to be present in D001 and D002.

NOTE: "Wastewater" means a waste containing less than 1% filterable solids and less than 1% T.O.C.

4. Hazardous Debris Notification

☐ This hazardous debris is subject to the alternative treatment standards of 40 CFR 268.45.

Contaminants Subject to Treatment (please list waste codes applicable to the debris)

FACILITY: Note that "Contaminants Subject to Treatment" are those constituents applicable to a waste code listed above for which a BDA treatment standard has been promulgated in 40 CFR 268.41 or 268.43.

5. Deadline Extensions and Variances

Certain LDR restricted wastes can be placed in a land disposal unit after the effective date of a prohibition provided they are subject to an extension or variance. Restricted wastes which qualify for a deadline extension are as follows:

Check applicable line	List waste codes for which extension applies
A. <input type="checkbox"/> Hazardous Debris (May 8, 1994)	
B. <input type="checkbox"/> F037, F038 removed from surface impoundments (June 30, 1994)	
C. <input type="checkbox"/> Debris contaminated with newly listed waste (June 30, 1994)	
D. <input type="checkbox"/> other _____	

Robert G. Tuell, Jr.
Signature

Robert G. Tuell, Jr.
Printed Name

09-22-93
Date

MARK ONLY THOSE CONSTITUENTS WHICH APPLY

268.43 Table CCW—Constituent Concentrations In Waste

MARK STANDARD THAT APPLIES

F001-F005 spent solvents	Concentration (in mg/l)		Indicate line item from front (eg. A, B, C...)
	Wastewaters containing spent solvents	All other spent solvent wastes	
<input type="checkbox"/> Acetone	0.28	160.0	
<input type="checkbox"/> Benzene	0.070	3.7	
<input type="checkbox"/> n-Butyl alcohol	5.6	2.6	
<input type="checkbox"/> Carbon tetrachloride	0.057	5.6	
<input type="checkbox"/> Chlorobenzene	0.057	5.7	
<input type="checkbox"/> Cresol (m- and p- isomers)	0.77	3.2	
<input type="checkbox"/> o-cresol	0.11	5.6	
<input type="checkbox"/> o-Dichlorobenzene	0.088	6.2	
<input type="checkbox"/> Ethyl acetate	0.34	33.0	
<input type="checkbox"/> Ethylbenzene	0.057	6.0	
<input type="checkbox"/> Ethyl ether	0.12	160.0	
<input type="checkbox"/> Isobutanol	5.6	170.0	
<input type="checkbox"/> Methylene chloride	0.089	33.0	
<input type="checkbox"/> Methyl ethyl ketone	0.28	36.0	
<input type="checkbox"/> Methyl isobutyl ketone	0.14	33.0	
<input type="checkbox"/> Nitrobenzene	0.068	14.0	
<input type="checkbox"/> Pyridine	0.014	16.0	
<input type="checkbox"/> Tetrachloroethylene	0.056	5.6	
<input type="checkbox"/> Toluene	0.08	28.0	
<input type="checkbox"/> 1,1,2-Trichloroethane	0.030	7.6	
<input type="checkbox"/> 1,1,1-Trichloroethane	0.054	5.6	
<input type="checkbox"/> 1,1,2-Trichloro-1,2,2-Trifluoroethane	0.057	28.0	
<input type="checkbox"/> Trichloroethylene	0.054	15.6	
<input type="checkbox"/> Trichloromono fluoromethane	0.02	33.0	
<input type="checkbox"/> Xylenes (total)	0.32	28.0	

F001, F002, F003, F004 and F005 wastewaters (Pharmaceutical Industry)	Concentration (in mg/l)
<input type="checkbox"/> Methylene chloride	0.44

268.42 Technology Based Standards

F005	Concentration in mg/l(ww) mg/kg(nww)
<input type="checkbox"/> 2-Nitropropane (F005)	Required Method(s)
<input type="checkbox"/> 2-Ethoxyethanol (F005)	Required Method(s)

268.41 Table CCWE—Constituent Concentrations In Waste Extract

MARK STANDARD THAT APPLIES

F001-F005 spent solvents	Concentration (in mg/l)	
	Wastewaters	All other
<input type="checkbox"/> Carbon Disulfide	1.05	4.81
<input type="checkbox"/> Cyclohexanone	0.125	0.75
<input type="checkbox"/> Methanol	0.25	0.75

California List Waste (applies in all states)

Liquid hazardous waste including free liquids associated with any solid or sludge containing the following constituents or property:

(circle all that apply for each subject waste noted on the reverse side of this form.)

	Concentration	Treatment Standard
pH ≤ 2.0		Neutralize/Stabilize
Cyanides	≥ 1,000	Cyanides Destruction/Stabilize
Arsenic	≥ 500	Metals Recovery/Solidification
Cadmium	≥ 100	Metals Recovery/Solidification
Chromium (VI)	≥ 500	Metals Recovery/Solidification
Lead	≥ 500	Metals Recovery/Solidification
Mercury	≥ 20	Metals Recovery/Solidification
Nickel	≥ 134	Metals Recovery/Solidification
Selenium	≥ 100	Metals Recovery/Solidification
Thallium	≥ 130	Metals Recovery/Solidification
PCBs	≥ 50	Incineration/High Efficiency Boiler
Solid, sludge, or liquid Halogenated Organic Compounds (HOCs) listed in 40 CFR 268 Appendix III	≥ 1,000	Incineration/Carbon Adsorption/Solvent Extraction

GUIDE 60

ERG9/ER

POTENTIAL HAZARDS

HEALTH HAZARDS

Contact causes burns to skin and eyes.

If inhaled, may be harmful.

Fire may produce irritating or poisonous gases.

Runoff from fire control or dilution water may cause pollution.

FIRE OR EXPLOSION

Some of these materials may burn, but none of them ignites readily.

Flammable/poisonous gases may accumulate in tanks and hopper cars.

Some of these materials may ignite combustibles (wood, paper, oil, etc.).

EMERGENCY ACTION

Keep unnecessary people away; isolate hazard area and deny entry.

Stay upwind; keep out of low areas.

Positive pressure self-contained breathing apparatus (SCBA) and structural firefighters' protective clothing will provide limited protection.

CALL CHEMTREC AT 1-800-424-9300 FOR EMERGENCY ASSISTANCE.

If water pollution occurs, notify the appropriate authorities.

FIRE

Some of these materials may react violently with water.

Small Fires: Dry chemical, CO₂, water spray or regular foam.

Large Fires: Water spray, fog or regular foam.

Move container from fire area if you can do it without risk.

Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Stay away from ends of tanks.

SPILL OR LEAK

Do not touch or walk through spilled material; stop leak if you can do it without risk.

Small Spills: Take up with sand or other noncombustible absorbent material and place into containers for later disposal.

Small Dry Spills: With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

Large Spills: Dike far ahead of liquid spill for later disposal.

FIRST AID

Move victim to fresh air; call emergency medical care.

In case of contact with material, immediately flush skin or eyes with running water for at least 15 minutes.

Remove and isolate contaminated clothing and shoes at the site.

Keep victim quiet and maintain normal body temperature.

POTENTIAL HAZARDS**FIRE OR EXPLOSION**

Some of these materials may burn, but none of them ignites readily.

HEALTH HAZARDS

Contact may cause burns to skin and eyes.

Fire may produce irritating or poisonous gases.

Runoff from fire control or dilution water may cause pollution.

EMERGENCY ACTION

Keep unnecessary people away; isolate hazard area and deny entry.

Positive pressure self-contained breathing apparatus (SCBA) and structural firefighters' protective clothing will provide limited protection.

CALL CHEMTREC AT 1-800-424-9300 FOR EMERGENCY ASSISTANCE.

If water pollution occurs, notify the appropriate authorities.

FIRE

Small Fires: Dry chemical, CO₂, water spray or regular foam.

Large Fires: Water spray, fog or regular foam.

Move container from fire area if you can do it without risk.

Do not scatter spilled material with high-pressure water streams.

Dike fire-control water for later disposal.

SPILL OR LEAK

Stop leak if you can do it without risk.

Small Dry Spills: With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

Small Spills: Take up with sand or other noncombustible absorbent material and place into containers for later disposal.

Large Spills: Dike far ahead of liquid spill for later disposal.

Cover powder spill with plastic sheet or tarp to minimize spreading.

FIRST AID

In case of contact with material, immediately flush eyes with running water for at least 15 minutes. Wash skin with soap and water.

Remove and isolate contaminated clothing and shoes at the site.

WEIGHT TICKET

VENDOR: LAIDLAW ENVIRO SVCS OF CA, INC.

GROSS

38610

TRUCK #: 10002

TARE

33310

DATE:

2/4/83

NET

5300

(Add 50 lbs. for asbestos for drum count)

CONTENTS: KIRK site load = 635 P. oil solids = 1,135 P. Grinding Sludge = 2860 P = 5350 P

Acid Solids = 205 P. Sodium Hydroxide = 375 P. Asbestos Cabot tubes SS P.

DISPOSAL FACILITY: US P. I. DRUM COUNT: 16 Dr. ASBESTOS 50 lbs

DRIVER:

Miguel V. La Jolla

GALLONS:

STATE MANIFEST, DOCUMENT NUMBER: 92746386

* Kirk site lead. 1 DR. 635 P.

* Dry Solids 5 DR. 4,135 P

* Grindme Sludge 5 DR 2,860 P

* Acid Solid 2 DR 205 P

* Sodium Hydroxide 2 DR 375 P

* Asbestos Balant tube. 1 DR 55 P

* Asbestos Containing material 1 DR 50 P

Rob.

Truck is ready at Gate #1.

This are the total weigh of the
drums, and number of each.

any question call me